Forest Ecology and Management, 59 (1993) 349–350
Elsevier Science Publishers B.V., Amsterdam

Author Index

Amiano Echezarreta, P., *see* Mardulyn, P. et al.
Andrianarivo, J.
Using GIS to evaluate the crown-line intersect sampling method in forest survey 87
Bartoli, C.G., Beltrano, J., Fernandez, L.V. and Caldiz, D.O.
Control of the epiphytic weeds *Tillandsia recurvata* and *Tillandsia aëranthos* with different herbicides 289
Beltrano, J., *see* Bartoli, C.G. et al.
Caldiz, D.O., *see* Bartoli, C.G. et al.
Chaves, J.G., *see* Leopoldo, P.R. et al.
Climent, J., Gil, L. and Pardos, J.
Heartwood and sapwood development and its relationship to growth and environment in *Pinus canariensis* Chr.Sm ex DC 165
Donoso, C., *see* Parker, T. et al.
Doren, R.F., Platt, W.J. and Whiteaker, L.D.
Density and size structure of slash pine stands in the everglades region of south Florida 295
Felker, P., *see* Wojtusik, T. et al.
Fernandez, L.V., *see* Bartoli, C.G. et al.
Flinn, D.W., *see* Hopmans, P. et al.
Franken, W.K., *see* Leopoldo, P.R. et al.
Garcia, J., *see* Lieutier, F. et al.
Gessel, S.P., *see* Prescott, C.E. et al.
Gil, L., *see* Climent, J. et al.
Godden, B., *see* Mardulyn, P. et al.
Gruber, W., *see* Mardulyn, P. et al.
Gullison, R.E. and Hardner, J.J.
The effects of road design and harvest intensity on forest damage caused by selective logging: empirical results and a simulation model from the Bosque Chimanes, Bolivia 1
Hardner, J.J., *see* Gullison, R.E. et al.
Herbauts, J., *see* Mardulyn, P. et al.
Hopmans, P., Stewart, H.T.L. and Flinn, D.W.
Impacts of harvesting on nutrients in a eucalypt ecosystem in southeastern Australia 29
Horntvedt, R.
Crown density of spruce trees related to needle biomass 225
Jactel, H., *see* Lieutier, F. et al.
Kangas, J.
A multi-attribute preference model for evaluating the reforestation chain alternatives of a forest stand 271
Kellomäki, S. and Kolström, M.
Computations on the yield of timber by Scots pine when subjected to varying levels of thinning under a changing climate in southern Finland 237

Kimmins, J.P., *see* Prescott, C.E. et al.
Knoepp, J.D., Turner, D.P. and Tingey, D.T.
Effects of ammonium and nitrate on nutrient uptake and activity of nitrogen assimilating enzymes in western hemlock 179
Kolström, M., *see* Kellomäki, S. et al.
Langlois, C.-G., *see* Mercier, S. et al.
Leather, S.R.
Influence of site factor modification on the population development of the pine beauty moth (*Panolis flammea*) in a Scottish lodgepole pine (*Pinus contorta*) plantation ... 207
Leopoldo, P.R., Chaves, J.G. and Franken, W.K.
Solar energy budgets in central Amazonian ecosystems: a comparison between natural forest and bare soil areas 313
Lieutier, F., Garcia, J., Romary, P., Yart, A., Jactel, H. and Sauvard, D.
Inter-tree variability in the induced defense reaction of Scots pine to single inoculations by *Ophiostoma brunneo-ciliatum*, a bark-beetle-associated fungus 257
Liu, Y. and Muller, R.N.
Above-ground net primary productivity and nitrogen mineralization in a mixed mesophytic forest of eastern Kentucky 53
Mardulyn, P., Godden, B., Amiano Echezarreta, P., Penninckx, M., Gruber, W. and Herbauts, J.
Changes in humus microbiological activity induced by the substitution of the natural beech forest by Norway spruce in the Belgian Ardennes 15
McDonald, M.A., *see* Prescott, C.E. et al.
Mercier, S. and Langlois, C.-G.
Relationships between *Epilobium angustifolium* phenology and *Picea glauca* seed maturation 115
Michelsen, A.
Growth improvement of Ethiopian acacias by addition of vesicular-arbuscular mycorrhizal fungi or roots of native plants to non-sterile nursery soil 193
Muller, R.N., *see* Liu, Y. et al.
Pardos, J., *see* Climent, J. et al.
Parker, T. and Donoso, C.
Natural regeneration of *Fitzroya cupressoides* in Chile and Argentina 63
Penninckx, M., *see* Mardulyn, P. et al.
Platt, W.J., *see* Doren, R.F. et al.
Prescott, C.E., McDonald, M.A., Gessel, S.P. and Kimmins, J.P.
Long-term effects of sewage sludge and inorganic fertilizers on nutrient turnover in litter in a coastal Douglas fir forest 149
Romary, P., *see* Lieutier, F. et al.
Sauvard, D., *see* Lieutier, F. et al.
Siebert, S.F.
The abundance and site preferences of rattan (*Calamus exilis* and *Calamus zollingeri*) in two Indonesian national parks 105
Stewart, H.T.L., *see* Hopmans, P. et al.
Stohlgren, T.J.
Intra-specific competition (crowding) of giant sequoias (*Sequoiadendron giganteum*) . 127
Tingey, D.T., *see* Knoepp, J.D. et al.
Turner, D.P., *see* Knoepp, J.D. et al.
Whiteaker, L.D., *see* Doren, R.F. et al.
Wojtusik, T. and Felker, P.
Interspecific graft incompatibility in *Prosopis* 329
Yart, A., *see* Lieutier, F. et al.

Forest Ecology and Management, 59 (1993) 351–354
Elsevier Science Publishers B.V., Amsterdam

Subject Index

Abundance
The abundance and site preferences of rattan (*Calamus exilis* and *Calamus zollingeri*) in two Indonesian national parks 105
Acacia
Growth improvement of Ethiopian acacias by addition of vesicular-arbuscular mycorrhizal fungi or roots of native plants to non-sterile nursery soil 193
Ammonium
Effects of ammonium and nitrate on nutrient uptake and activity of nitrogen assimilating enzymes in western helmlock 179
Bare soil areas
Solar energy budgets in central Amazonian ecosystems: a comparison between natural forest and bare soil areas 313
Climate change
Computations on the yield of timber by Scots pine when subjected to varying levels of thinning under a changing climate in southern Finland 237
Crowding
Intra-specific competition (crowding) of giant sequoias (*Sequoiadendron giganteum*) . 127
Crown density
Crown density of spruce trees related to needle biomass 225
Density
Density and size structure of slash pine stands in the everglades region of south Florida 295
Douglas fir
Long-term effects of sewage sludge and inorganic fertilizers on nutrient turnover in litter in a coastal Douglas fir forest 149
Ecosystems
Impacts of harvesting on nutrients in a eucalypt ecosystem in southeastern Australia 29
Solar energy budgets in central Amazonian ecosystems: a comparison between natural forest and bare soil areas 313
Epilobium angustifolium
Relationships between *Epilobium angustifolium* phenology and *Picea glauca* seed maturation 115
Epiphytic weeds
Control of the epiphytic weeds *Tillandsia recurvata* and *Tillandsia aëranthos* with different herbicides 289
Eucalyptus
Impacts of harvesting on nutrients in a eucalypt ecosystem in southeastern Australia 29
Fagus
Changes in humus microbiological activity induced by the substitution of the natural beech forest by Norway spruce in the Belgian Ardennes 15
Fitzroya
Natural regeneration of *Fitzroya cupressoides* in Chile and Argentina 63

Forest damage
The effects of road design and harvest intensity on forest damage caused by selective logging: empirical results and a simulation model from the Bosque Chimanes, Bolivia 1
Forest floor
Long-term effects of sewage sludge and inorganic fertilizers on nutrient turnover in litter in coastal Douglas fir forest 149
Forest survey
Using GIS to evaluate the crown-line intersect sampling method in forest survey 87
Fungi
Growth improvement of Ethiopian acacias by addition of vesicular-arbuscular mycorrhizal fungi or roots of native plants to non-sterile nursery soil 193
Geographical information system
Using GIS to evaluate the crown-line intersect sampling method in forest survey 87
Grafting
Interspecific graft incompatibility in *Prosopis* 329
Growth
Growth improvement of Ethiopian acacias by addition of vesicular-arbuscular mycorrhizal fungi or roots of native plants to non-sterile nursery soil 193
Harvesting
Impacts of harvesting on nutrients in a eucalypt ecosystem in southeastern Australia 29
The effects of road design and harvest intensity on forest damage caused by selective logging: empirical results and a simulation model fron the Bosque Chimanes, Bolivia 1
Heartwood
Heartwood and sapwood development and its relationship to growth and environment in *Pinus canariensis* Chr.Sm ex DC 165
Herbicides
Control of the epiphytic weeds *Tillandsia recurvata* and *Tillandsia aëranthos* with different herbicides 289
Induced reaction
Inter-tree variability in the induced defense reaction of Scots pine to single inoculations by *Ophiostoma brunneo-ciliatum*, a bark-beetle-associated fungus 257
Inorganic fertilizers
Long-term effects of sewage sludge and inorganic fertilizers on nutrient turnover in litter in a coastal Douglas fir forest 149
Inter-tree variability
Inter-tree variability in the induced defense reaction of Scots pine to single inoculations by *Ophiostoma brunneo-ciliatum*, a bark-beetle-associated fungus 257
Logging
The effects of road design and harvest intensity on forest damage caused by selective logging: empirical results and a simulation model from the Bosque Chimanes, Bolivia 1
Microbial biomass
Changes in humus microbiological activity induced by the substitution of the natural beech forest by Norway spruce in the Belgian Ardennes 15
Mixed mesophytic forest
Above-ground net primary productivity and nitrogen mineralization in a mixed mesophytic forest of eastern Kentucky 53
Moth
Influence of site factor modification on the population development of the pine beauty moth (*Panolis flammea*) in a Scottish lodgepole pine (*Pinus contorta*) plantation ... 207

Natural forest
Solar energy budgets in central Amazonian ecosystems: a comparison between natural forest and bare soil areas 313
Needle biomass
Crown density of spruce trees related to needle biomass 225
Nitrate
Effects of ammonium and nitrate on nutrient uptake and activity of nitrogen assimilating enzymes in western hemlock 179
Nitrogen
Effects of ammonium and nitrate on nutrient uptake and activity of nitrogen assimilating enzymes in western hemlock 179
Nitrogen mineralisation
Above-ground net primary productivity and nitrogen mineralization in a mixed mesophytic forest of eastern Kentucky 53
Nutrient uptake
Effects of ammonium and nitrate on nutrient uptake and activity of nitrogen assimilating enzymes in western hemlock 179
Nutrients
Impacts of harvesting on nutrients in a eucalypt ecosystem in southeastern Australia 29
Ophiostoma brunneo-ciliatum
Inter-tree variability in the induced defense reaction of Scots pine to single inoculations by *Ophiostoma brunneo-ciliatum*, a bark-beetle-associated fungus 257
Phenology
Relationships between *Epilobium angustifolium* phenology and *Picea glauca* seed maturation 115
Picea
Changes in humus microbiological activity induced by the substitution of the natural beech forest by Norway spruce in the Belgian Ardennes 15
Crown density of spruce trees related to needle biomass 225
Relationships between *Epilobium angustifolium* phenology and *Picea glauca* seed maturation 115
Pinus
Computations on the yield of timber by Scots pine when subjected to varying levels of thinning under a changing climate in southern Finland 237
Density and size structure of slash pine stands in the everglades region of south Florida 295
Heartwood and sapwood development and its relationship to growth and environment in *Pinus canariensis* Chr.Sm ex DC 165
Influence of site factor modification on the population development of the pine beauty moth (*Panolis flammea*) in a Scottish lodgepole pine (*Pinus contorta*) plantation ... 207
Inter-tree variability in the induced defense reaction of Scots pine to single inoculations by *Ophiostoma brunneo-ciliatum*, a bark-beetle-associated fungus 257
Plant stress
Influence of site factor modification on the population development of the pine beauty moth (*Panolis flammea*) in a Scottish lodgepole pine (*Pinus contorta*) plantation ... 207
Preference model
A multi-attribute preference model for evaluating the reforestation chain alternatives of a forest stand 271
Productivity
Above-ground net primary productivity and nitrogen mineralization in a mixed mesophytic forest of eastern Kentucky 53

Prosopis
Interspecific graft incompatibility in *Prosopis* 329
Rattan
The abundance and site preferences of rattan (*Calamus exilis* and *Calamus zollingeri*) in two Indonesian national parks 105
Reforestation chains
A multi-attribute preference model for evaluating the reforestation chain alternatives of a forest stand 271
Regeneration
Natural regeneration of *Fitzroya cupressoides* in Chile and Argentina 63
Sampling method
Using GIS to evaluate the crown-line intersect sampling method in forest survey 87
Sapwood
Heartwood and sapwood development and its relationship to growth and environment in *Pinus canariensis* Chr.Sm ex DC 165
Seed maturation
Relationships between *Epilobium angustifolium* phenology and *Picea glauca* seed maturation 115
Sequoiadendron giganteum
Intra-specific competition (crowding) of giant sequoias (*Sequoiadendron giganteum*) . 127
Sewage sludge
Long-term effects of sewage sludge and inorganic fertilizers on nutrient turnover in litter in a coastal Douglas fir forest 149
Simulation model
The effects of road design and harvest intensity on forest damage caused by selective logging: empirical results and a simulation model from the Bosque Chimanes, Bolivia 1
Site preference
The abundance and site preferences of rattan (*Calamus exilis* and *Calamus zollingeri*) in two Indonesian national parks 105
Size
Density and size structure of slash pine stands in the everglades region of south Florida 295
Soil
Changes in humus microbiological activity induced by the substitution of the natural beech forest by Norway spruce in the Belgian Ardennes 15
Growth improvement of Ethiopian acacias by addition of vesicular-arbuscular mycorrhizal fungi or roots of native plants to non-sterile nursery soil 193
Solar energy budgets
Solar energy budgets in central Amazonian ecosystems: a comparison between natural forest and bare soil areas 313
Stands
A multi-attribute preference model for evaluating the reforestation chain alternatives of a forest stand 271
Density and size structure of slash pine stands in the everglades region of south Florida 295
Thinning
Computations on the yield of timber by Scots pine when subjected to varying levels of thinning under a changing climate in southern Finland 237
Tillandsia
Control of the epiphytic weeds *Tillandsia recurvata* and *Tillandsia aëranthos* with different herbicides 289
Yield
Computations on the yield of timber by Scots pine when subjected to varying levels of thinning under a changing climate in southern Finland 237